

# ULTRATEMP HXi

## INVERTER HEAT PUMP

BEST OF POWER & EFFICIENCY.

Pentair UltraTemp HXi heat pumps are equipped to automatically adjust performance to provide the optimal balance of heating power and efficiency. Just select your desired pool temperature on the crystal clear LCD display and the UltraTemp's onboard AI will do the rest.



# PENTAIR ULTRATEMP HXi HEAT PUMPS

## BEST OF POWER & EFFICIENCY.

With today's record energy costs, there's never been a better time to invest in an energy-efficient heat pump. Compared to gas or electric element heaters, UltraTemp<sup>®</sup> HXi Inverter Heat Pumps use just a fraction of the energy to generate the same amount of heat. In fact, under optimal conditions, \$1 worth of electricity produces \$14 worth of heat generated by other methods. That means more comfortable water temperatures and longer swimming seasons for you and your family.

### PENTAIR ULTRATEMP HEAT PUMP FEATURES:

- ▶ Pentair heat pumps transfer heat from the air into the pool using only a fraction of the energy required to heat the pool directly.
- ▶ The UltraTemp HXi heat pump offers best in class efficiency with COP (coefficient of performance) ratings far in excess of standard heat pumps.
- ▶ The UltraTemp HXi heat pumps feature variable speed compressors and fan motors (full inverter). These operate at reduced speed when full power is not required, cutting electricity costs and noise.
- ▶ Pentair heat pumps use the EPA-recognized, environmentally safe, non-ozone depleting R32 refrigerant. This allows the UltraTemp HXi heat pump to be awarded the Eco Select<sup>®</sup> brand accolade for environmental responsibility.
- ▶ 100% titanium heat exchanger assures corrosion-free performance for extra long life and value.
- ▶ Full-colour, LCD touchscreen displays an intuitive, menu with easy to follow icons and messages.
- ▶ Self-diagnostic software continuously monitors system for peak performance.
- ▶ Thermostatic Expansion Valve (TXV) controls refrigerant flow and optimises efficiency over a wider operating temperature range.
- ▶ Automatic defrost feature senses refrigerant temperature and helps prevent the UltraTemp heat pump from freezing, allowing the unit to operate effectively at lower temperatures.
- ▶ Perfect companion to IntelliCenter<sup>®</sup> or EasyTouch<sup>®</sup> Control Systems—heat pump control can be transferred to a centralised control system that manages all your pool/spa operations and poolscape features.
- ▶ Easy barrel union plumbing connections.
- ▶ Market leading warranty.

**eco select**<sup>™</sup>



*Features an intuitive coloured LCD touch-screen for clear and simple operation.*

**Quiet** - 'Silent Mode' slows down the variable speed DC fan, reducing noise for whisper quiet operation.

**Easy to Use** - Colour LCD touchscreen makes set-up and operation clear and simple.

**Powerful & Efficient** - Inverter compressor gives you the power to heat up quick and efficiency to maintain.

**Tough** - UV resistant, rust-proof thermoplastic case designed for Australian conditions.



## Specifications

DESCRIPTION		UltraTemp HXi 9kW	UltraTemp HXi 12kW	UltraTemp HXi 16kW	UltraTemp HXi 20kW	UltraTemp HXi 24kW	UltraTemp HXi 28kW
MODEL		UTHP-9-HXi	UTHP-12-HXi	UTHP-16-HXi	UTHP-20-HXi	UTHP-24-HXi	UTHP-28-HXi
Ambient 27°, Water 26° in 28° out, 80% Humidity	Capacity (kw)	2.3~9.0	2.5~12.0	3.1~16.0	3.70~20.0	6.5~24.3	7.1~28.2
	Power input (kw)	0.16~1.41	0.18~1.90	0.22~2.54	0.27~3.08	0.45~3.74	0.49~4.41
	COP	14.2~6.4	14.1~6.3	13.9~6.3	13.8~6.2	14.5~6.5	14.3~6.4
Ambient 15°, Water 26° in 28° out, 70% Humidity	Capacity (kw)	1.7~7.0	2.1~9.0	2.4~12.6	2.6~14.5	4.5~19.0	5.1~21.0
	Power input (kw)	0.24~1.46	0.29~1.91	0.34~2.57	0.38~3.15	0.62~3.88	0.71~4.38
	COP	7.2~4.8	7.1~4.7	7.0~4.6	6.9~4.6	7.3~4.9	7.2~4.8
Ambient 35°, Water 29° in 27° out	Capacity (kw)	3.15	3.75	5.61	7.85	8.93	11.78
	Power input (kw)	1.4	1.58	2.2	3.18	3.43	4.44
	EER	2.25	2.37	2.55	2.47	2.61	2.65
Power supply		230-240V / 50Hz	230-240V / 50Hz	230-240V / 50Hz	230-240V 50Hz	230-240V 50Hz	400-415V 3P
Max current (A)		8.4	10.9	16.6	17.5A	22A	11A
Compressor Type		Rotary Inverter	Rotary Inverter	Rotary Inverter	Rotary Inverter	Rotary Inverter	Rotary Inverter
Water flow (LPM)		53	66	86	100	141	158
Sound Level (dBA)		39-50	41-52	42-53	43-54	44~55	45~56
Refrigerant		R32 430g	R32 480g	R32 600g	R32 670g	R32 1150g	R32 1350g
Height		625mm	625mm	775mm	855mm	855mm	855mm
Width		1015mm	1015mm	1025mm	1159mm	1159mm	1159mm
Length		425mm	425mm	475mm	520mm	520mm	520mm

AN ECO SELECT®  
BRAND PRODUCT



As the global leader in pool and spa equipment manufacturing, we strive to provide greener choices for our customers. We hope you'll join us in embracing more eco-friendly poolscapes by choosing Eco Select brand products for your swimming pool.

Smart,  
sustainable  
solutions.

**FOR LIFE.**



**Hi-Tech Gas Services**  
**0290116200 & 0243927094**  
**Info@homeheating.net.au**



1-21 Monash Drive | Dandenong South, VIC 3175 | Australia | 1300 137 344 | pentairpool.com.au

Information contained here-in remains the property of Pentair under Australian copyright law. Content may not be reproduced or transmitted without prior written permission from Pentair.

Disclaimer: Information are deemed correct at time of printing. Pentair reserves the right to change product specifications and products details. Product images are for reference purposes only and my not represent the actual/current product.

©2022 Pentair. All rights reserved.